

# SCEC Wall Mount Cabinets

CLASS B & CLASS C - SCEC

**SRA Solutions manufacture a range of secure Government (SCEC) endorsed Class B and Class C cabinets that can be wall mounted.**

Wall mount cabinets provide an ideal solution for small to medium sized secure networks which require internal cable protection.

Offering versatility and convenience whilst saving valuable space within any secure environment or Government office suite, these cabinets are specifically designed to provide positive protection against covert entry.



## FEATURES:

### Locking - Class B and Class C Security Containers

All our Class B and Class C Secure Wall Mount Cabinets are fitted with the appropriate security level locking solutions.

Class B cabinets are fitted with the very latest KABA X10 digital locks, which are designed to be resistant to all forms of external manipulation and environmental attack. The Kaba X-10 is the trusted choice for securing the Australian Government's most sensitive material. Another SCEC approved lock is the S&G 2740 Class B. Featuring advanced electromechanical design, the 2740B can be used on all SCEC approved cabinetry requiring a spyproof dialing sequence.

Class C cabinets are fitted with the BiLock, the most recognised high security master key system in Australia. BiLock incorporates a new futuristic key head specifically designed to incorporate extensive colour coded master keying capabilities, ensuring optimal security. With over 8,000 colour combinations available, this new key head visibly defines the security levels within a master key system and allows instant identification of keys by system managers.



### Security and Compliance

SRA Solutions comply with strict SCEC door specifications, that the cabinet structure extends a minimum of 20 mm above and below the door opening. The door itself must also be recessed into the cabinet and is further strengthened with a stiffener welded to the internal face. The door is not to be removable from the container body and not to be reliant on the hinges for security.

Wall Mount Cabinets include a CEB (Cable Entry Box) with internal covers and pathways that meet stringent SCEC requirements. Please note that all cable baffles, covers and protected pathways may be temporarily removed for the installation of network cabling. Racks which do not have these baffles, covers and protected pathways re-installed, are not SCEC approved for the storage of equipment used for processing security classified information.

### Unique Serial Number Identification

Each security container is identified with a nine digit serial number, which is permanently marked on an identification label in the uppermost right hand front corner of the security container.

### Warranty

All SRA Solutions SCEC Endorsed Wall Mount Cabinets and accessories come with a 12 month parts only warranty. Class B cabinets fitted with KABA X10 locks have a 2 year lock warranty - Refer to SRA Solutions standard terms and conditions.

Available Colours:

Mannex Suede

Mannex Black

## BENEFITS:

### Passive and Active Applications – Flexibility in a Tight Space

These wall mount cabinets are ideal for passive cabling of up to 6 x 48 way patch panels, or smaller active data or telco installations, with combinations of servers, switches or UPS. Compatible with our range of cable management and power distribution options, these cabinets provide enormous configuration flexibility in a tight space.

All our Wall Mount Cabinets have cable entry via a SCEC approved Cable Entry Box (CEB). Each CEB has a maximum of 4 x 70mm sq cable entry points, capable of handling up to 24- 48 CAT6 cables. That's approximately 100-200 cables per CEB.

### Volume Cable Entry

As standard, each Wall Mount Cabinet has a single 4 way CEB fitted in the front top position. SRA Solutions are also able to mount a CEB at the bottom front position, or configure 2 CEB cable entry positions in a single cabinet, front top & bottom.

- Maximum cabling volume up to 200-400 CAT6 cables.

### Design and Operation

SRA Solutions workmanship is of the highest standard and the outside of the finished container presents a neat attractive appearance, free from finishing marks, rough edges and other blemishes.

It is a SCEC requirement that the movement and operation of all locks and boltwork be smooth and require little effort to operate in an office working area and SRA Solutions have achieved these goals.

### SCEC Endorsed

To comply with SCEC penetration specifications, SRA Solutions have designed a clever external rear wall mounting process, that allows the cabinet to be fixed to the wall, without impacting the integrity of the primary cabinet body.

### More Information

e: [enquiry@srasolutions.com.au](mailto:enquiry@srasolutions.com.au) | p: +61 2 6298 1855

w: [www.srasolutions.com.au](http://www.srasolutions.com.au) | [www.sraonline.com.au](http://www.sraonline.com.au)



APPROVED PRODUCT  
SECURITY CONSTRUCTION EQUIPMENT COMMITTEE



Australian Government

SEEPL-014



### Product Information

Adjustable front and rear 19" mounting rails are provided which are individually laser etched with clear rack height identification. Quality hinges complement and provide door swing and locking accuracy with lifetime reliability.

SCEC wall mount cabinet side panels sit flush within the frame and are secured from inside the rack to maximise security.

Air flow through the door is a standard design inclusion, achieved by using the maximum permissible perforated venting pattern which covers the specified area. All vented doors are supplied with a left hand hinge opening as standard.\*

Note - S&G 2740B lock available on request.

### Class B – 12U Wall Mount Cabinet

Available Colours:

Lock: KABA X10 Digital Lock

Mannex Suede

Mannex Black

Material: 1.9mm Zinc Anneal steel  
 Finish: Textured electrostatic powder coat - corrosion resistant  
 Colours: Mannex Suede, Mannex Black (custom colours available)

Weight: 93.5kg

#### Technical Specifications:

Part ID	Model	Colour	
129508	Top cable entry (1 x CEB)	Mannex Suede	<a href="#">BUY NOW</a>
129511	Top cable entry (1 x CEB)	Mannex Black	<a href="#">BUY NOW</a>
129510	Top & Bottom cable entry (2 x CEB)	Mannex Suede	<a href="#">BUY NOW</a>
129513	Top & Bottom cable entry (2 x CEB)	Mannex Black	<a href="#">BUY NOW</a>
129509	Bottom cable entry (1 x CEB)	Mannex Suede	<a href="#">BUY NOW</a>
129512	Bottom cable entry (1 x CEB)	Mannex Black	<a href="#">BUY NOW</a>

\* Mounting hardware not included

\*\* Please specify your correct door opening requirements at time of order

#### Notes:

- Maximum equipment load: 30Kg
- Total Max Gross weight on wall: 125Kg

SEEPL-013



### Product Information

Adjustable front and rear 19" mounting rails are provided which are individually laser etched with clear rack height identification. Quality hinges complement and provide door swing and locking accuracy with lifetime reliability.

SCEC wall mount cabinet side panels sit flush within the frame and are secured from inside the rack to maximise security.

Air flow through the door is a standard design inclusion, achieved by using the maximum permissible perforated venting pattern which covers the specified area. All vented doors are supplied with a left hand hinge opening as standard.\*

#### Note:

- Class B and Class C cabinets must be installed in accordance with SCEC working note 1/84 and 2/84

### Class C - Key Cabinet

Available Colours:

Lock: BiLock Master Key System

Mannex Suede

Mannex Black

Material: 1.9mm Zinc Anneal steel  
 Finish: Textured electrostatic powder coat - corrosion resistant  
 Colours: Mannex Suede, Mannex Black (custom colours available)

Weight: 85.5kg

#### Technical Specifications:

Part ID	Model	Colour	
129501	Top cable entry (1 x CEB)	Mannex Suede	<a href="#">BUY NOW</a>
129504	Top cable entry (1 x CEB)	Mannex Black	<a href="#">BUY NOW</a>
129503	Top & Bottom cable entry (2 x CEB)	Mannex Suede	<a href="#">BUY NOW</a>
129506	Top & Bottom cable entry (2 x CEB)	Mannex Black	<a href="#">BUY NOW</a>
129502	Bottom cable entry (1 x CEB)	Mannex Suede	<a href="#">BUY NOW</a>
129505	Bottom cable entry (1 x CEB)	Mannex Black	<a href="#">BUY NOW</a>


\* Mounting hardware not included

\*\* Please specify your correct door opening requirements at time of order

#### Notes:

- Maximum equipment load: 30Kg
- Total Max Gross weight on wall: 125Kg

## 19" WALL MOUNT CABINETS - DIMENSIONAL DETAIL



### Product Specifications:

Dimensions	Height	Width	Depth
External	700mm	599mm	689mm
- w/Lock & Handle	700mm	599mm	754mm
- w/Door Open	700mm	599mm	
Packaging	755mm	654mm	800mm

### Product Information

All cabinets in the SRA Solutions wall mount range are manufactured from zinc annealed (rust proof coating) steel. These cabinets are fully welded and load rated to 30kg distributed weight. The top and bottom of each cabinet has a low 50mm profile to minimise the overall height.

Please note that cable baffles, covers and protected pathways, may be temporarily removed for the installation of network cabling, however, they must be re-installed in order to retain the SCEC approval of the rack as a security container.

Racks which do not have these baffles, covers and protected pathways re-installed, are not SCEC approved for the storage of equipment used for processing security classified information.

### Notes:

- Maximum equipment load: 30Kg
- Total Max Gross weight on wall: 125Kg

## 19" WALL MOUNT CABINETS - REAR MOUNTING



### Wall Cabinets - Rear Mounting

The rear wall mounting panel can be bolted to any structural building surface utilising the provided 6 x M10 mounting holes. This allows the panel to be reversible onsite, providing maximum flexibility when installing into tight spaces.

The main body is attached by full length piano hinges. It is swung back against the wall mounting panel and retained with 2 locking plates that slide to secure the cabinet in place.

The mounted swing frame is designed in accordance with SCEC requirements: -

"Wall mounted containers shall be secured to the wall using an intermediate-frame. The frame shall allow the container to be swung away from the wall to allow the inspection of the rear of the container for tampering."

### Customisation

Do you have an application that requires something beyond our standard offerings? We can work with you to design a custom solution that meets your special requirements. Our in-house capability means that we are able to respond quickly to new design requests or modifications.

In accordance with SCEC directions, SRA Solutions are able to customise dimensions, substitute colour and provide an alternate S&G Class B lock.

### Note:

- Class B and Class C cabinets must be installed in accordance with SCEC working note 1/84 and 2/84

### More Information

e: [enquiry@srasolutions.com.au](mailto:enquiry@srasolutions.com.au) | p: +61 2 6298 1855  
w: [www.srasolutions.com.au](http://www.srasolutions.com.au) | [www.sraonline.com.au](http://www.sraonline.com.au)





racks

---

power

---

cooling

---

security

---

managing

---

monitoring